EXCLUSIVE BRANDS

TOP SELLERS





OGISS



RUBIX

INTRODUCING OUR




Exclusively distributed by Rubix **RUBIX**

No

Introducing our Exclusive Brands

Our exclusive brands offer high quality alternatives to leading brand products, leveraging Rubix's scale to reduce price. Designed to meet all relevant industry standards and certification, with customer needs in mind. The range includes, Roebuck for Hand and Air power Tools, GISS for PPE, Cutline for Cutting and Grinding tools, Mecaline for mechanical and power transmission products, and Spartex for maintenance essentials.





Same quality, performance and reliability as premium brands but at a better price.















Contents

Roebuck

| Hand Tools | 4-5 |
|---------------------|-----|
| Tool Demo Vehicle | 6 |
| Engineers' Toolkits | 7 |

| CUTLINE | |
|-------------------------------------|------|
| Cutting Tools | 8-10 |
| Rubix Cutting & Machining Expertise | 11 |

| GISS | |
|-------------------------------|-------|
| Personal Protective Equipment | 12-13 |
| Hand Size Chart/Guide | 14-15 |

| Mecaline | |
|-------------------------------|-------|
| Mechanical Power Transmission | 16 |
| About Mecaline | 17 |
| Fluid Power | 18-19 |

Spartex

| Cleaning Essentials | 20 |
|-----------------------------|----|
| Site & Workshop Essentials | 21 |
| Welding Essentials | 22 |
| Lifting & Pulling Equipment | 23 |







ROEBUCK UNIWRENCH SPANNERS 11 PIECE SET

- Sperical box end design can open various types of nuts such as spline, 12 points, 6 points, square and star
- Includes 11 wrenches (mm): 8,10,11,12,13,14,15,16,17,18,19

CODE:1318088

ROEBUCK PLASTIC TOOLBOXES

- Polypropylene box
- 3 separate compartments integrated in the lid for storing small parts
- Transparent polycarbonate cover, resistant to scratches and impacts Integrated mobile tool tray

 Aluminium handle and latches - Can be padlocked

CODE: 2580711

ROEBUCK EXTRA-WIDE HEAVY DUTY TOOLBAG

- 600 denier polyester
- Numerous tool storage options both internally and externally
- Zip closure
- Comfortable handle and
- padded shoulder strap • 460 x 280 x 300mm



CODE: 2525301



 Supplied in a plastic holder • Set of 13 wrenches: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T50

ROEBUCK TORX KEY SET

TX5-TX5013 PIECE SET

CODE: 2525529







ROEBUCK SOCKET 1/4 INCH SQ DRIVE METRIC 47 PIECE SET

- 1/4" Sockets and accessories: Made of chrome vanadium
- Semi-satin finish, semi-polished, Hex sockets

 Accessories: Quick release ratchet handle - 36 teeth, Spinner handle, 100mm extension, Universal joint, Bit holder, 112mm sliding, T-handle

CODE: 2525764

ROEBUCK SET OF 6 SLOT-HEAD AND POZIDRIV SCREWDRIVERS

- · Chrome-plated blades
- · Hardened steel tip
- Ergonomic handle
- Curved body for high tightening torques
- 4 slotted screwdrivers: 3.5x100, 4x100,
- 5.5x125 & 6.5x150 • 2 Pozidriv screwdrivers: PZ 1x80 & PZ 2x100

CODE: 209A7394

ROEBUCK HEAVY DUTY 5M X 19M BLADE MEASURING TAPE

- Ergonomically designed stainless steel housing with black rubber for better grip
- Yellow nylon ribbonDouble-lock button
- Double-lock butte
 Strap



CODE: 2521609

ROEBUCK GEAR WRENCH 4 IN 1 PLUS REVERSIBLE 8-19MM 3 PIECE SET

- Multi profile design fit five different fastener types, with each wrench covering four fastener sizes
- Low profile head, ideal for working in confined spaces
- Includes 3 spanners (mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19

CODE: 2521600



- Polished finish
- Hardness: 63HRC
- General purpose pliers for gripping and
- cutting wires, flexible and hard cables
- Cutting capacity up to 4 mm






What's on board?

Our new Roebuck tool demonstration vehicles let you see up close our range of quality tools designed specifically for the needs of industrial users. Exclusively distributed by Rubix, Europe's leading industrial supplies specialist.

For over 190 years, Roebuck has provided reliable, quality tools to maintenance and repair professionals. They are subject to rigorous testing to the highest industry standards, backed up with a lifetime warranty* so you can buy with absolute confidence.

*Excludes products that require regular calibration





Safeguarding your workforce:

When visiting a customer site with our tool vehicles, we will adhere to government guidelines with your help regarding 2 metre social distancing and wearing face masks. We will ensure that all items are sanitised before and after every customer site visit, with PPE and sanitiser provided too.

All tool products on the vehicle can be handled by your engineers but disposable gloves must be worn at all times, these can be disposed of prior to you leaving the demonstration vehicle.

We would recommend that your engineers visit in their work bubbles in order to reduce risks to your company in regards to COVID-19. *Your safety remains our top priority during customer site visits.*

Get on board...

Why not book a visit and invite your engineers to see what's available. Our independent tool experts will take you through the latest innovations and cost saving ideas.

Simply call your local branch to find out more and to book a tool demo visit.



Book a visit with your local branch: 0870 240 2100 roebucktools.com







ROEBUCK ORGANISER TOOL KIT

Contents:

- 5 screwdrivers: Slotted: 5.5x125, 6.5x150
- Phillips: 2x100
- Torx: 20x100, 30x115
- 7 piece Hex Key Set
- Combination plier 180mm
- Diagonal cutter 160mm
- Bent nose pliers half round 200mm

CODE: 211A0078

ROEBUCK 30 PIECE TOOL KIT

Contents:

- Chisel 250mm
- 10 Combination Spanners 7 to 24mm
- 18mm Snap Off Knife Blade Bi-Material
- Combination plier 160mm
- 9 Piece ball end hex key set
- Ball Pein Hammer 2LB
- Diagonal cutting pliers 160mm
- Centre Punch Round Head 100 x 6mm
- 4 Screwdrivers 1xPH2, 4.0 x100,
- 5.5x125, 6.5x150 slotted screwdrivers
- Water Pump Pliers 250mm




ROEBUCK 58 PIECE TOOL KIT

Contents:

- 6 Combination spanners 7 19mm.
- Set of 9 Ballpoint wrenches
- 2LB Ball pein hammer
- Diagonal cutter 160mm
- Combination plier 160mm
- Centre Punch Round Head 100 x 6mm
- Adjustable wrench 35mm
- 2 Screwdrivers slotted 5.5x125, 6.5x150
- Water pump plier 250mm/10"
- 30 Piece screwdriver bits
- Screwdriver with magnetic tip 1/4"
- Medium-smooth flat file 200mm · Large capacity vice grip
- 2 Pin punches Ø 2.3









CUTLINE HSS TAP SET M4.0 X 0.7

- General purpose Metric Tap Sets
- Standard ISO 529. Straight flute
- $\cdot\,$ Set of 3 comprising or 1 x taper, 1 x second and 1 x plug

CODE: 215A7487

CUTLINE HSS TAP SET M5.0 X 0.8



- General purpose Metric Tap Sets
- Standard ISO 529. Straight flute
- Set of 3 comprising or 1 x taper,
 - 1 x second and 1 x plug

CODE: 215A7488

CUTLINE HSS TAP SET M6.0 X 1.0

- General purpose Metric Tap Sets
- Standard ISO 529. Straight flute
- Set of 3 comprising or 1 x taper,

1 x second and 1 x plug

CODE: 215A7489

CUTLINE HSS TAP SET M8.0 X 1.25

- General purpose Metric Tap Sets
- Standard ISO 529. Straight flute
- Set of 3 comprising or 1 x taper,
 - 1 x second and 1 x plug

CODE: 215A7491



- Set of 3 comprising or 1 x taper, 1 x second and 1 x plug

CODE: 215A7493



Cutting tools designed to help you achieve exceptional results



Hole Making



Milling






Threading

Tool Holding

Nothing cuts it like Cutline.









CUTLINE HSS TAP SET M12.0 X 1.75

- General purpose Metric Tap Sets
- Standard ISO 529. Straight flute
- Set of 3 comprising or 1 x taper,
- 1 x second and 1 x plug

CODE: 215A7495





- General purpose Metric Tap Sets
- Standard ISO 529. Straight flute
- Set of 3 comprising or 1 x taper, 1 x second and 1 x plug

CODE: 215A7497

CUTLINE HSS TAP SET M20.0 X 2.5



- · General purpose Metric Tap Sets
- Standard ISO 529. Straight flute
- · Set of 3 comprising or 1 x taper,
- 1 x second and 1 x plug

CODE: 215A7499

CUTLINE M3-M12 TAP AND DRILL SET



- Metric Coarse M3, 4, 5, 6, 8,
- · 3 taps per size, 1 taper,
- 1 second and 1 plug
- · Supplied in a metal case

CODE: 215A8150

CUTLINE HSS TAP AND DIE SET M3-M12 C/W METAL CASE



- · High quality set to DIN standard for general engineering
- Set contains Taps M3 -M12 in taper, second and plug Dies M3 - M12 Tap wrenches and diestock Screw pitch gauge and screwdriver

CODE: 215A8170



Your first choice expert cutting and machining technical products and solutions partner



24/7/365 access to cutting tools specials, regrinding, product proving and technical support



Technical competency centres and time-served expert engineers available nationwide



Backed by the nation's leader in industrial supplies to meet your needs across the UK

uk.rubix.com

OGISS





GISS COLIMA SAFETY BOOT S3 SRC BLACK

| OUT 33 SINC BLACK | 200A3220 | 37/4 |
|---|----------|-------|
| | 200A3221 | 38/5 |
| pper in granulated leather, water repellent | 200A3222 | 39/6 |
| added collar for more protection | 200A3223 | 41/7 |
| xternal sole in PU double density | 200A3224 | 42/8 |
| ntipenetration textile sole, nonmagnetic | 200A3225 | 43/9 |
| omposite toecap, nonmagnetic | 216A6363 | 44/10 |
| reathable textile lining | 200A3227 | 46/11 |
| izes 3-13 | 200A3228 | 47/12 |
| | 200A3229 | 48/13 |
| | | |

GISS G-SUNSET SAFETY GLASSES ANTI-SCRATCH CLEAR

• Panoramic and light multi-use safety glasses

- Branches co-injected in TPE for an extreme flexibility
- Connect antiglide
- Very comfortable
- Weight: 29g



CODE: 200A3850

GISS EAR DEFENDER G-HEAR GOLD EVOL SNR29

- Ear defender with ABS shells.
- Padded ear-pieces in synthetic foam
- Noise reduction: SNR = 29,9 dB / H = 31,7 dB / M = 27,5 dB / L = 19,9 dB



GISS DISPOSABLE EAR PLUGS G-BLUE <u>SOFT UNCORDED</u>

- Soft disposable polyurethane foam ear plugs
- The tapered shape
- Soft hypo-allergenic material
- Bright blue colour permits hight visibility and makes safety checks easier
- Pack 200

CODE: 200A3531



Code

200A3219

200A3220

Size

36/3

GISS QS-CUT PU CUT D GLOVE 4X43D SIZE 6-11

- Knitted from high density fiber HDPE
- Seamless Gauge 13
- Grey polyurethane coating on
- palm and fingertips • High dexterity, excellent adhesion on dry surfaces

| Code | Size |
|----------|------|
| 209A5434 | 6 |
| 209A5435 | 7 |
| 209A5436 | 8 |
| 209A5437 | 9 |
| 209A5438 | 10 |
| 209A5439 | 11 |
| | |



GISS





GISS 884430 G CAP AIR REDUCED PEAK BUMP CAP BLACK/NAVY 5CM

- EN812 standard: 2012
- Anti-bump cap with 5 cm visor
- ABS and polycarbonate protective shell
- Cotton / Polyester fabrics
- Reflective strip for enhanced visibility
- Anti-sweat headband in sponge

• Single size: 52-60cm

| Code | Colo |
|----------|-------|
| 229A6261 | Black |
| 229A6260 | Navy |

GISS G-PU BLACK PU PALM COATED HANDLING GLOVE

- Polyester knitted, seamless gloves with polyurethane coating on palm and fingertips
- Elastic cuffs
- Washable and fast drying
- Very good touch sensitivity

| Code | Size |
|----------|------|
| 200A3868 | 6 |
| 200A3869 | 7 |
| 200A3870 | 8 |
| 200A3871 | 9 |
| 200A3872 | 10 |
| 200A3873 | 11 |



GISS G-MIRAGE SAFETY GLASSES ANTI-SCRATCH CLEAR

- Standard EN166 EN170
- Protective polycarbonate glasses with trendy design
- Extra flat, bimaterial legs (polycarbonate and TPE)
- Fine and flexible, they go well with any noise-protection system and helmet wearing
- Weight: 25g

CODE: 200A3822



GISS WORKSITE SAFETY HELMET G-TOP

- Worksite safety helmet in polypropylene high resistance UV treated polyamide shell with 3 textile bands and 8 fixing points
- Sponge sweatband
- Adjustable: head circumference from 53 to 63cm
- Electrical insulation

 Code
 Colour

 200A3542
 Blue

 200A3543
 White

 200A3544
 Yellow



GISS MOULDED DISPOSABLE HALF-MASKS G-AIR PLUS FFP3 BOX OF 10

- Face-piece respirator.
- Filters solid and liquid aerosols.
- Single use
- Continuous loop head strap
- Embossed fringe seal
- No nose piece. No staple
- Pre-shaped. Conical style with exhalation valve
- White



CODE: 200A3540

OGISS

GISS for Protection

Exclusive to Rubix - **the number one in Europe** for PPE

Exclusively distributed by Rubix


RUBIX

Hand Size Chart

GISS branded products meet stringent industry certification standards, delivering a level of quality, comfortable fit and safety as good as the leading PPE brands, but at a better price.

The GISS glove range delivers a comprehensive selection of hand protection products with a highlevel of comfort, durability and dexterity – so your people can avoid cuts and abrasions at work. From PPE gloves, to chemical resistant gloves, heat resistant gloves and disposable protective gloves we have it covered.

Always ensure a good fit with our Hand Size Chart. Gloves should fit the wearer. Tight gloves can make hands feel tired and lose their grip. Too large gloves can create folds; these can impair work and be uncomfortable.



| Requirements acc. to EN 21420:2020 | Hand circum. | Hand length | Glove minimum length |
|--|-----------------|----------------|----------------------------|
| 6 | 152mm | 160mm | 220mm |
| 7 | 178mm | 171mm | 230mm |
| 8 | 203mm | 182mm | 240mm |
| 9 | 229mm | 192mm | 250mm |
| 10 | 254mm | 204mm | 260mm |
| 11 | 279mm | 215mm | 270mm |
| 12 | 304mm | >215mm | 280mm |


Protective gloves size: our three calculation methods

METHOD 1: Measuring the turn of the hand



- 1. Choose your strongest hand
- 2. Take a tape measure and wrap it round the palm of your hand
- 3. Fold your hand and measure the contour of your palm

METHOD 2: Finger length and hand width



- 1. Choose your strongest hand (right hand if you are right-handed)
- 2. Take a rule
- 3. Measure the width of your hand (Measure A)
- 4. Measure the length of your middle finger (Measure B)
- 5. Add A + B and divide by 2
- 6. The figure given represents the size of your gloves

METHOD 3: Hand size guide

1. To determine the correct glove size, place your hand on the coloured bar as shown below

¢GISS

Glove size 9 is required in this instance

Order through your local branch:

0870 240 2100 uk.rubix.com

6

8

9

10

11

12



POWER TRANSMISSION YOU CAN TRUST



MECALINE A27 A SECTION WRAPPED V BELT

- Classical V Belt A Section ISO 4184 -BS3790 - DIN7753
- Anti-Static & Oil Resistant
- Shelf Life 3 years

CODE: 45034995

MECALINE 08B-1 ROLLER CHAIN

MECALINE 1610-18 TAPER BUSH

- Mecaline chains comply with European Standard DIN 8187-ISO 606
- Carbon Steel material
- Heat treated side plates
- Carbonitrided pins

CODE: 45034887

18MM



MECALINE 41-19 08B-1 19 TOOTH SIMPLEX TAPER BORE SOCKET

- To suit 08B1-Chain
- Accepts a 1210 Taper Bush
- The dimensional characteristics comply with DIN 8187-ISO/R 606
- C45 Steel



CODE: 45036236

MECALINE 100X1 SPA PULLEY

- Single Groove SPA Pulley
- Accepts 1610 Taper Bush
- Cast Iron GG25



CODE: **45036477**



CODE: 45036161

16



Integrated movement - for all your Mechanical Power Transmission, Pneumatics and Flow needs

Mecaline delivers high-quality, high-performance parts designed to fit seamlessly into your operations.

All Mecaline products are designed using high quality materials. Whether it's using the highest-grade raw materials or through its signature black oxide finish, Mecaline always meets your expectations and specifications.

Power transmission you can trust

| 0 | P |
|---|---------|
| 4 | 50 5 |

With over 10,000 components, we have the parts for all your mechanical and power transmission, pneumatics, flow control and linear needs



Designed in collaboration with leading industry players and the majority are interchangeable with other leading brands



Mecaline makes replacement or modification swift and easy, whilst reducing downtime associated with finding the right parts



Ordering is easy and rapid through our web shop





With over 1 million sold Mecaline now features over 2,400 fittings. Each component is interchangeable with the leading brands with every nickel-plated and stainless-steel fitting produced in Italy. The range includes options to suit food-standard environments and applications.

Mecaline Pneumatics







This innovative pneumatic tube combines the very best of polyurethane with polyamide for extreme flexibility and excellent abrasion, chemical and temperature resistance.




The progressive flow blow gun

One of five different Mecaline blow guns, the progressive flow blow gun is ergonomically designed with 23 m³/h air flow and an angled nozzle for precision control and effective cleaning.



Reduce your total cost of ownership with Mecaline pneumatics







OSHA CERTIFIED

MECALINE TYPHOON HIGH FLOW COMPRESSED AIR BLOW GUN

- OSHA safety classification
- Nickel trigger, rubber handle and chrome finished body
- Flow: 965 litres/minute at 8.5 bars Thrust: +/- 2.8Nm (+/- 1kg)
- Thread: 1/4" BSPP Noise: 85db to 9,8 Kg/cm2 (OSHA safety scale)
- Fitting thread: 1/2 inch Dimensions: 165 mm x 30 mm x 149 mm
- Weight: 287g

CODE: 208A4974

MECALINE COMPACT EXHAUST SILENCER REDUCE CONTAMINATION

- Maximum pressure 12 bars
- Temperature -10°C to +80°C • Filtering capacity: 50 microns

| Code | Size |
|----------|-------|
| 216A1261 | M5 |
| 208A5031 | G1/8" |
| 208A5030 | G1/4" |
| 208A5033 | G3/8" |
| 208A5029 | G1/2" |
| 208A5032 | G3/4" |
| 208A5028 | G1" |



MECALINE RETRACTABLE COMPRESSED AIR HOSE REEL

- Can be mounted on the wall, ceiling or on a caddy
- Automatic stop pawl for controlled rewinding of the tube (SSC)

| Code | Size |
|----------|----------------------|
| | 12m 12x8mm with 1/4" |
| 216A3302 | 15m 12x8mm with 1/4" |

MECALINE UNION PUSH-IN PNEUMATIC FITTING IN TECHNOPOLYMER

- Pressure: 15 bars
- Operating temperature: -20 to +80°C
- Industrial vacuum -100 kpa

CodeSize208A53094mm208A53116mm208A53138mm208A530610mm208A530812mm



Mecaline Pneumatics

World-class quality Exclusive to Rubix

Spartex





SPARTEX 2 PLY WHITE M FOLD TOWEL 20X150 SHEETS PURE

- White multi-fold hand towels
- Suitable for all washroom environments
 When dispensed can present the
- next towel ready for use reducing cross contamination

CODE: 223A1028

SPARTEX 2PLY BLUE CENTREFEED ROLLS 150M X 175MM X 70MM 417 SHEETS PK6



- 2 ply blue centrefeed rolls are suitable for busy washroom, catering and healthcare environments
- Ideal for both drying hands and soaking up spills
- Use in conjunction with 213A8861 Centrefeed dispenser

CODE: 223A1038

SPARTEX SOFT DUSTPAN AND BRUSH SET BLUE



CODE: 223A8868

SPARTEX BLUE HYGIENE ROLL 40M X250MM PK24 RECYCLED



- Individually wrapped for extra hygiene protection
- Commonly used to line and protect couches, to offer hygiene protection in doctors surgeries
- Also suitable for wiping up spillages


SPARTEX ALCOHOL FREE WIPES 20CM X 18CM, BLUE, 1500 SHEETS, 10L BUCKET



CODE: 223A1064

CODE: 228A4140

Spartex





SPARTEX MAINTENANCE SHEETS 50CM X 40CM GREY PACK OF 200

- Absorbent pads are used for the recovery of minor incidental spills and leaks around the workplace
- Absorbing liquid in areas hard to reach or liquid contained in spilt area

CODE: 225A8271

SPARTEX MAINTENANCE ABSORBENT ROLL 50CM X 40M GREY




Absorbent rolls are used to recover spills across a larger area or as a versatile option to pads
Perforated for ease of use

and ideal for maintenance upkeep

CODE: 225A8292

CODE: 217A4950

SPARTEX LIGHTWEIGHT OIL ONLY PADS 50CM X 40CM WHITE PK100



CODE: 225A8279

SPARTEX SOLID BRASS PADLOCK 40MM

Solid brass body

- 5 pins
- Hardened steel handle
- Double anchor
- Comes with 2 keys

SPARTEX BRASS PADLOCK 50MM STANDARD



- Pin tumbler brass padlock
 with hardened steel shackle
- Single locking system
- Supplied with two keys

CODE: 110015

21

Spartex

WELDING



SPARTEX UNIVERSAL STEEL ELECTRODE 2.5MM X 3.5KG

• Universal Steel Electrode all positions for all current steels.

Good handling.Auto-detachable slag.

• Priming Voltage: =- ~ 40 V.

CODE: 217A2458

SPARTEX UNIVERSAL STEEL ELECTRODE 3.2MM X 3.5KG

- Universal Steel Electrode all positions for all current steels.
- Soft fusion.
- Good handling.
- Auto-detachable slag.



CODE: 217A2459


SPARTEX STAINLESS STEEL ELECTRODE 316L 2.5MM X 1.0KG

- 316L stainless steel electrode used for welding austenitic steels type 18/8/3.
- · Excellent corrosion resistance.
- Food grade type.

22

- Smooth Fusion and good detachment of the slag.
- · Coating with very low moisture recovery.





SPARTEX UNIVERSAL STEEL ELECTRODE 4.00MM X 3.5KG

- Universal Steel Electrode all positions for all current steels.
- Soft fusion
- Good handling.Auto-detachable slag.
- Priming Voltage: =- ~40 V.

CODE: 217A2463

SPARTEX STAINLESS STEEL ELECTRODE 316L 3.2MM X 1.0KG

- 316L stainless steel electrode used for welding austenitic steels type 18/8/3.
- Excellent corrosion resistance
- Food grade type.
- Smooth Fusion and good detachment of the slag.
- Coating with very low moisture recovery. • Priming Voltage: =+ ~70 V.



LIFTING & PULLING EQUIPMENT



Spartex

SPARTEX ELRO ROUND SLING SWL KG 2000 2M/3M

- Made of an anti-abrasion treated sleev
- Safe Working Load SWL: 2000 KG
- Capacity Length: 2M/3M

Colour: Green

217A4801 2M 217A4803 3M

SPARTEX ELRO ROUND SLING SWL KG 4000 2M/3M

- Made of an anti-abrasion treated sleeve
- Safe Working Load SWL: 4000 KG
- Capacity Length: 2M/3M
- Colour: Grey



| Code | Size |
|----------|------|
| 217A4819 | 2M |
| 217A4821 | 3M |

SPARTEX FLAT WEBBING SLING (CATEGORY 2) SWL KG 4000 GREY 3M/5M

- Made from high-strength textile
- Safe Working Load SWL: 4000 KG
 Sling Width: 120mm

Size

3M

5M

- Length: 3M/5M
- Colour: Grey
- Colour: Grey

Code 217A4873 217A4875

SPARTEX FLAT WEBBING SLING (CATEGORY 2) SWL KG 2000 GREEN 3M/5M

- Made from high-strength textile
- Safe Working Load SWL: 2000 KG
 Sling Width: 60mm
- Length: 3M/5M
- Colour: Green

Code Size 217A4863 3M 217A4865 5M



All from one supplier. One brand. One place. Simple.



Exclusive Brands





Same quality, performance and reliability as premium brands but at a better price

Exclusively distributed by Rubix **RUBIX**

in

With branches nationwide we're just down the road

Call 0870 240 2100 from a landline to be transferred to your nearest branch

Y

Visit uk.rubix.com to search for your nearest branch and their contact details